




Netherlands National Committee
for the protection of animals
used for scientific purposes

Prevention, recognition and management of pain in laboratory animals

Opinion of the Netherlands National Committee for the protection of animals used for scientific purposes (NCad) commissioned by the Minister of Agriculture



The NCad and its methods

The Netherlands National Committee for the protection of animals used for scientific purposes (NCad) was appointed for the protection of animals used for scientific and educational purposes. NCad aims to make a significant contribution to minimising laboratory animal use, both at national and international level. This will involve giving advice, exchanging knowledge, and developing both national and international networks. The ethical review of animal procedures is of pivotal importance in this regard, as are the 3Rs (Replacement, Reduction and Refinement).

Members of NCad

Herman Koëter (chair), Henriëtte Bout, Frank Dales, Coenraad Hendriksen, Frauke Ohl (passed away January 2016), Jan-Bas Prins, Pieter Roelfsema. On 1 February 2016, Wim de Leeuw joined NCad on a temporary basis as an additional expert till December 2016.

This advisory report, the Code of Practice (CoP), and their appendices will be published on the NCad website: <http://english.ncadierproevenbeleid.nl/>



Summary

By letter dated 31 March 2015 the Minister for Agriculture commissioned the Netherlands National Committee for the protection of animals used for scientific purposes (NCad) to provide its opinion on the procedure and application of best practices to assist researchers and Animal Welfare Bodies (IvDs) in recognising and managing pain in the workplace, depending on animal species and nature of the animal procedures.

At the heart of the report from NCad is the Code of Practice (CoP) 'Prevention, recognition, and management of pain in laboratory animals'. This CoP has been drawn up by a working group of experts and provides a guide to all parties involved in animal procedures in the prevention, recognition, and management of pain in laboratory animals. The optimal application of the CoP requires supportive measures.

To achieve this, NCad advises the Minister:

1. that the CoP be used as the basis for the ambition to limit pain suffered by laboratory animals to a minimum and as the basis for animal procedures policy and the supervision thereof, and that the Minister promotes the CoP as a part of the 'Culture of Care' within establishment licensees;
2. that the CoP Prevention, recognition, and management of pain in laboratory animals, as well as other current COPs, will be made available in a central place.
3. that the current CoPs in the Netherlands – especially the CoP Monitoring Welfare, the CoP Cancer Research, and the CoP Immunisation of Laboratory Animals be brought in line with

- CoP Prevention, recognition, and management of pain in laboratory animals and updated where necessary;
4. that the CoP Prevention, recognition, and management of pain in laboratory animals be updated as and when new information makes this essential;
5. that in the context of the desire for harmonisation between EU Member States this CoP be introduced via NCad in European consultations and used in a wider internationally-supported code of practice Prevention, recognition, and management of pain in laboratory animals.

Compelling arguments may be raised for not applying pain management. In response to these, NCad advises that the CCD:

6. require researchers to provide properly supported arguments justifying the decision to ignore the issue of pain management. These arguments are set out in the substantiation of the advice and in the CoP;
7. focus attention on the non-pharmalogical management of pain, for example by improving husbandry or the application of humane endpoints, as described in detail in the CoP;
8. keep a register of arguments for not applying pain management, those arguments that are deemed valid, and the results of any additional studies commissioned by the CCD.

NCad also advises that the Minister:

9. commission a report into the objective assessment, standardisation, and validation of a pain-scoring system;

10. make the relevant curriculum committees responsible for ensuring that existing courses include sufficient focus on pain recognition and management, that the provision of continuous education with regard to pain recognition and pain management is where necessary updated in line with, and responds to, the identified need for visual learning material and e-learning modules;
11. promote the creation of a network of experts with a centralised point of contact. In addition, NCad is prepared to take the lead in bringing about cooperation with other EU Member States with the ultimate goal of creating a European knowledge network.
12. ensure there is an available budget in the years ahead to achieve the goal of limiting to the minimum all forms of pain in animal procedures, as advised in this report.

Keywords

Pain prevention, pain relief, pain recognition, pain management, laboratory animals, Code of Practice (CoP)

Inhoud

1. Introduction	6
2. Request for advisory report	7
3. Advisory report	7
3.1 Code of Practice: 'Prevention, recognition, and management of pain in laboratory animals'	7
3.2 Bringing together, integrating and updating existing Codes of Practices	7
3.3 Withholding pain relief	8
3.4 Pain scoring	8
3.5 Acquiring, sharing and safeguarding knowledge	9
3.6 Knowledge network	9
3.7 Budget	9
4. Reasons for advice	9
4.1 Code of Practice: Prevention, recognition, and management of pain in laboratory animals	9
4.1.1. Principles/context	9
4.1.2. Guidelines	10
4.2 Harmonisation and updating of codes	11
4.3 Withholding pain relief	11
4.4 Validated pain scores	12
4.5 Developing, sharing and safeguarding knowledge	12
4.6 Network of experts	13
4.7 Budget	14
Appendix 1: Code of Practice 'Prevention, recognition, and management of pain in laboratory animals'	15
References	31
Appendix 2: List of further information available on the website (appendices)	32

1. Introduction

Situation in practice in the Netherlands

The report of the Netherlands Food and Consumer Product Safety Authority (NVWA) entitled 'Zo doende 2013' discloses that anaesthetics were administered in 32% of animal procedures conducted in the Netherlands in that year and pain management in 10.4% of animal procedures. No anaesthetic was administered in 1.4% of the animal procedures and no pain management in 7.9% of the animal procedures because this could not be reconciled with the nature of the procedure or was practically unfeasible. In the other cases, there was no reason for the use of anaesthetics or pain management.

Definition of pain

Pain is often defined as 'an unpleasant sensory and emotional experience associated with actual or potential tissue damage'. The inability to communicate verbally and the absence of behavioural changes do not exclude the possibility that an individual can experience pain.

Background to this advisory report

In 2013 the Ministry of Economic Affairs commissioned Professor L. Hellebrekers (Utrecht University) to undertake a small-scale qualitative inventarisation into the prevention, recognition and management of pain in laboratory animals, in the form of a

questionnaire for completion by persons involved professionally in animal procedures. The questionnaire limited itself to pain arising from invasive procedures. The report produced by Hellebrekers indicated that the majority of those questioned are of the opinion that:

- pain management is usually adequately regulated;
- there are no immediate areas for concern with regard to pain and pain management;
- a further examination of the category of procedures in which pain management is deemed not to be reconcilable with the scientific enquiry/conduct of the procedure is desirable;
- improvements could be made to the acquisition, sharing and safeguarding of knowledge.

In the Action Plan for Animal Procedures and Alternatives ('Plan van aanpak dierproeven en alternatieven) sent by the Minister for Agriculture to the House of Representatives on 28 February 2014, it was indicated in response to the mentioned inventarizations that NCad and the Animal Welfare Bodies (IVDs) have an important role to play in implementing improvements that are available to prevent, recognise and manage pain in the Netherlands. In this context, by letter dated 31 March 2015 the Minister commissioned NCad to prepare an advisory report.

2. Request for advisory report

By letter dated 31 March 2015, the Minister for Agriculture commissioned NCad to ‘provide an opinion on drawing up and implementing best practices (in the area of pain management in laboratory animals) to assist researchers and Animal Welfare Bodies (IvDs) in recognising and managing pain in the workplace, according to the type of animal and nature of the animal procedure’.

3. Advisory report

At the heart of the report from NCad is the Code of Practice (CoP) ‘Prevention, recognition, and management of pain in laboratory animals’. This CoP has been drawn up by a working group of experts and provides a guide to all parties involved in animal procedures in the prevention, recognition and management of pain in laboratory animals. The CoP is attached to the advisory report as Appendix 1.

The optimal application of the CoP depends on supportive measures aimed at integrating the CoP ‘Prevention, recognition, and management of pain in laboratory animals’ with existing CoPs, conditions for withholding pain relief, the use of validated pain scores, ensuring the development and sharing of knowledge (and the safeguarding hereof), and the creation of a network of experts. The advisory report also puts forward proposals to facilitate the measures described therein.

3.1 Code of Practice: ‘Prevention, recognition, and management of pain in laboratory animals’

The aforesaid working group relied on existing literature and, where desirable, also consulted experts. A literature list and details of consulted experts are included in the digital appendix to the CoP.

NCad advises the Minister:

1. that the CoP be used as the basis for the ambition to limit pain suffered by laboratory animals to a minimum and as the basis for animal procedures policy and the supervision thereof, and that the Minister promotes the CoP as part of the ‘Culture of Care’ within establishment licensees.

3.2 Bringing together, integrating and updating existing Codes of Practices

The CoP at issue and the other existing COPs should be centrally accessible to the public and brought in line with the most up-to-date best practices. This applies especially to the COPs ‘Monitoring Welfare laboratory animals,’ ‘Cancer Research,’ and ‘Immunisation of Laboratory Animals’.

The advice of NCad to the Minister in this regard is:

2. to bring the CoP 'Prevention, recognition, and management of pain in laboratory animals,' and other current COPs within a future centralised data warehouse for animal procedures and alternatives for animal procedures¹.
3. to bring current Dutch CoPs and in particular the CoP 'Monitoring Welfare,' the CoP 'Cancer Research,' and the CoP 'Immunisation of Laboratory Animals' in line with the CoP 'Prevention, recognition, and management of pain in laboratory animals and update them where appropriate.
4. to update the CoP 'Prevention, recognition, and management of pain in laboratory animals' as and when new information so requires².
5. to introduce this CoP via NCad in European consultations in the context of the desire for harmonisation between EU Member States and to use it in a wider internationally-supported CoP 'Prevention, recognition, and management of pain in laboratory animals'.

3.3 Withholding pain relief

Research involving procedures on laboratory animals is based on the principle of adequate pain prevention and – if necessary – pain management. However, there may be compelling arguments for withholding pain relief.

In such cases NCad advises that the CCD:

6. requires researchers to provide properly supported arguments justifying the decision to withhold pain management. Conditions are set out in the substantiation of the advice and in the CoP;
7. focus attention on the non-pharmacological management of pain, for example by improving living space or the application of humane endpoints, as described in detail in the CoP;
8. keep a register of arguments for withholding pain management, those arguments that are deemed valid and the results of any additional studies requested by the CCD.

3.4 Pain scoring

At present, there is no effective system within research using laboratory animals to translate clinical findings into an objective, standardised gauge of pain. An objective scoring system is important in the context of taking adequate measures to be able to prevent or manage pain.

In this regard NCad advises the Minister:

9. to commission a report into the objective assessment, standardisation and validation of a painscoring systems.

¹ NCad advisory report 'Indicators, management, and utilisation of data for the monitoring of laboratory animal use and 3R alternatives, Part 1'.

² The advice to bring this up to date also applies to the other current CoPs.

3.5 Acquiring, sharing and safeguarding knowledge

A survey conducted by the working group (see Appendix 2, report entitled ‘Research to advance knowledge of pain recognition and management in laboratory animals’) amongst groups that work with laboratory animals revealed the need for additional training in pain recognition and pain management per animal species.

NCad advises that the Minister:

10. make the relevant curriculum committees responsible for ensuring that existing courses include sufficient focus on pain recognition and management, that the provision of continuous education with regard to pain recognition and pain management is where necessary updated in line with, and responds to, the identified need for image materials and e-learning modules.

3.6 Knowledge network

There is a clear need amongst IvDs, Animal Experiments Committees (DECs) and veterinarians for a centralised point of contact for questions and information about pain recognition and pain management.

NCad advises that the Minister:

11. promote the creation of a network of experts with a centralised point of contact. To this end, NCad is prepared to take the lead in bringing about cooperation with other EU Member States with the ultimate goal of creating a European knowledge network.

3.7 Budget

To be able to implement the advice listed under one to eleven, above, NCad advises that the Minister:

12. ensure there is an available budget in the years ahead to achieve the goal of limiting all forms of pain in animal procedures as much as possible, as advised in this advisory report.

4. Reasons for advice

This chapter sets out a more detailed reasoning for the above suggestions and recommendations of NCad for the prevention, recognition and management of pain.

In its work, the working group appointed by NCad consisting of experts in the field relied on existing literature and, where desirable, also consulted other experts. A list of the experts consulted and an up-to-date literature list are available on the digital appendix (more detailed information concerning the advice and CoP).

4.1 Code of Practice: Prevention, recognition, and management of pain in laboratory animals

4.1.1. Principles/context

The principle underlying the CoP is the acknowledgment that during an animal procedure animals may suffer pain. In drafting the CoP, available knowledge in the field of pain prevention, pain recognition and pain management was used. The distinction between pain and distress is defined. The legal standards applying to the prevention and

management of pain in laboratory animals are listed and the moral consequences of pain (principles of analogy and precaution) are explained. Attention is paid briefly to the various types of pain and the consequences for the animal and the research according to whether or not pain relief is provided. This is followed by an in-depth description of the responsibilities of the various categories of experts involved in the animal procedures and the responsibilities for each category.

4.1.2. Guidelines

The ambition of the policy of the Ministry is to limit all forms of pain in animal procedures to a minimum. The CoP 'Prevention, recognition, and management of pain in laboratory animals' can lead the way in this regard. The CoP is a set of guidelines for the optimum, efficient application of measures to prevent, recognise and manage pain with the aim, where possible, of preventing the distress of the animals. The CoP is intended for persons involved in designing and conducting animal procedures, such as animal care takers, biotechnicians, zoological analysts and researchers. In addition, the CoP provides guidance to persons and bodies with a supervisory function, that assess protocols and projects and that advise researchers: IvDs, NVWA, designated veterinarians, CCD and DECs.

The CoP is concise and general. Additional information is available on the NCad website. The CoP:

1. requires a best-efforts obligation of anyone involved in the design, assessment, conduct and supervision of animal procedures. The Code aims to provide practical recommendations for the prevention, recognition and management of pain in

laboratory animals. These recommendations are in line with current laws and regulations and based on the most up-to-date ideas of experts;

2. applies to all forms of pain for all types of laboratory animals, irrespective of their cause, duration and intensity, within the relevant definition of 'pain';
3. describes the attention to be given to pain during the various phases of the research (from planning the animal procedure to its conduct, and retrospective analysis). This CoP also deals with pain during the pain-critical phases of the animal procedure, such as:
 - a.) perioperative and postoperative care, infections, etc. and
 - b.) pain during the conduct of the experiment (in particular where it is anticipated that pain will be greater during the experiment).

Also identifies the relationship with best practices with regard to applying humane endpoints;

4. describes the responsibilities of the parties involved, such as the IvD, the DEC, the veterinarian, the researcher, the biotechnician, the animal care taker, the institution's management and the CCD.;
5. makes recommendations for a step-by-step process for pain recognition, focusing on clinical and other observations and their frequency, the use of scoring sheets and training of the relevant parties. Additional information about pain recognition is available on the NCad website;
6. contains a pain management indicator (digital appendix to the code) to help in standardising the application of pain prevention and pain management in animal procedures. The Code also

covers the influence of pain and pain management treatments and sets conditions for situations in which pain management is withheld. More detailed tables are included in the digital appendix of the CoP.

4.2 Harmonisation and updating of codes

The intention is for the CoP 'Prevention, recognition, and management of pain in laboratory animals' to be regularly updated, which entails an update of the CoP whenever any scientific developments, practical experiences or regulatory changes so dictate. As authorities that could assist in updating the CoP, the NCad would suggest, for example, the umbrella platform of the IvDs or the central platform of experts in the field of pain management.

During the formulation of the advice it became apparent that pain and aspects indirectly related to pain, such as monitoring of the welfare of laboratory animals, are not separable considerations. The optimal management of pain therefore demands that the guidelines of current CoPs are also followed. Examples include the CoPs 'Monitoring welfare of laboratory animals,' 'Cancer Research,' and 'Immunisation of laboratory animals'. Certain parts of these Codes have become dated as a result of the progress made in scientific knowledge, changes in awareness and amended regulations. If the intention is that the CoP 'Prevention, recognition, and management of pain in laboratory animals' should be a living document, then the same must apply to the other identified CoPs, and regular updating is necessary for them to be in tune with current attitudes of experts regarding the matters of subject.

4.3 Withholding pain relief

As a general principle, pain should be avoided wherever possible and, in all cases where this is not possible, pain should be limited as much as possible, by taking steps including non-pharmacological measures. NCad acknowledges that in some cases there could be arguments for not applying pain management, for example in cases where pain is the subject of the research, or where pain relief would influence the readout parameters of the research (see box on page 12). NCad recommends that the arguments must be clear and compelling to justify such a choice. One might consider here the justification for withholding pain relief by means of an additional literature study, the conduct of a pilot study and/or the addition of extra groups receiving pain relief to the first experiment or experiments forming part of the project.

It is important that the DEC and/or CCD should consult experts on the drawing up of the right conditions and the right way to interpret the arguments put forward by researchers. The CCD is advised to keep a register of arguments for withholding pain management, those arguments that are deemed valid and the results of any additional studies. This information must be made available to the experts network, the IvDs, DECs and those that solicit project proposals, so that a retrospective analysis can indicate whether the CoP needs to be adjusted.

Examples of the possible contraindication for pain relief based in part on moral considerations.

- Research that studies the phenomenon of pain, including the assessment of the efficacy of new pain relief;
- Research in which the administration of short-term pain (e.g. in the form of an electric shock) is used to condition the animals;
- If the administration of pain relief leads to greater harm to the animal's welfare than results from the pain itself;
- If the pharmacological profile of the pain relief has a greater effect on the relevant read-out parameters than the pain itself. In such a case, the influence should be documented per research question and where necessary supported by data from additional studies.

N.B. the withholding of pain relief does not affect the requirement at all times to make maximum use of non-pharmaceutical pain management.

4.4 Validated pain scores

Proper monitoring of welfare and pain recognition form the basis for adequate measures to prevent and manage pain. The CoP needs to be made more robust in respect of the standardisation and validation of clinical signs for pain recognition. Unlike human healthcare, there are currently no properly validated pain scores developed for use in laboratory animals. There is a need for information on the existing scoring systems and to which extent these have been validated. Additional research is required to determine this..

4.5 Developing, sharing and safeguarding knowledge

Further to the previously-mentioned survey by Hellebrekers³, the working group appointed by NCad conducted a survey amongst researchers, biotechnicians, animal care takers, laboratory animal experts and designated veterinarians. A questionnaire was also sent to the coordinators of courses for biotechnicians, zoological analysts and animal care takers, and courses for researchers engaged in designing projects and animal procedures. In-depth interviews were conducted with a small number of respondents. The aim of all this was to increase understanding of the points of view of these persons regarding the existing knowledge within the workplace and the information concerning pain recognition and pain management offered during the said courses. Opinions were also sought on the desirability of continuing education in this field. The results of this questionnaire and the interviews are set out in the report 'Research to advance knowledge of pain recognition and management in laboratory animals,' published on the NCad website.

Just under half of the respondents working with laboratory animals consider that they received insufficient information during their education. In particular, they lacked information about, and practise in, recognition of pain in various animal species. However, this deficiency in information was compensated over the years through work experience and/or attendance at symposiums, workshops or themed days. There is a clear need for continuing education and a need for practical, animal-specific training in pain recognition. There is also a wish to use visual materials and score forms. There is a need

3 Hellebrekers, 2013

for theory-driven training for pain recognition in combination with various pain management methods, medicines, their effect and duration of effect on the different animal species. Researchers also have a special need for information relevant to the experiments that they design and conduct themselves.

All course coordinators also think that continuing education is necessary. Approximately one half of them consider that there should be the use of visual materials practical trainings and e-learning modules when educating participants on pain recognition.

With the coming in to force of the amended Experiments on Animals Act (*Wet op de dierproeven* [Wod]) researchers that set up a project or animal procedures, and biotechnicians must have specific knowledge about the animal species with which they work. This includes specific knowledge of pain recognition and pain management per animal species. The expectation is that this will improve specific knowledge of pain recognition and pain management per animal type during education in this field.

Continuing education can largely be provided by persons in the field, alone or in collaboration with educational institutions. At present, pain management and pain recognition are infrequently the subjects of symposiums, conferences and themed days organised within the field, although occasionally there are exchanges of knowledge and expertise between the professions working within various institutions and departments.

Pain recognition and pain management should be part of continuing education. A broader, better-structured availability of continuing education is beneficial. For such purpose, there is a desire for more and better visual materials, e-learning modules and scoring forms.

The website intended to supplement the CoP with more detailed information must be designed so that it can play an important role for existing courses and for the various types of continued education. Visual materials need to be provided via the website for training in pain recognition amongst various animal species. Existing and future e-learning modules should also be available via this website.

4.6 Network of experts

There is a need for a central contact point in the field of pain recognition and pain management of laboratory animals (for example, a university department) where Animal Welfare Bodies (IvDs), veterinarians, Animal Experiment Committees (DECs) and other involved parties can put questions and request information. This need is recognised by the various experts in this field. This central contact point should form part of a virtual network of experts -perhaps international - taking the form, for example, of second and third-line⁴ support. Via the knowledge network, professionals can be directed to specialist knowledge experts in the field of, for example, pain recognition and pain management for a particular animal species.

⁴ 'Second-line' expertise means general specialist knowledge in the field of anaesthesia and analgesia. 'Third-line' expertise means specific specialist knowledge relating to, for example, management of pain of infrequently-used animal types and complex surgical interventions.

4.7 Budget

To realise the ambition of limiting all forms of pain in animal procedures to a minimum, as recommended in this advisory report, there needs to be a relevant stimulus budget for this specific purpose available at the start-up phase within the Ministry's research programming. The advice is to set aside enough funding within the budget allocated for 2017 and successive years.

Appendix 1: Code of Practice ‘Prevention, recognition, and management of pain in laboratory animals’

Summary

1 Ambition

This Code of Practice (CoP) ‘Prevention, recognition, and management of pain’ is intended for all persons involved in the design, assessment, conduct and supervision of animal procedures: the establishment licensee, Animal Welfare Body (IvD), designated veterinarian, researcher, biotechnician, zoological analyst and the laboratory animal care taker.

2 Explanation

This CoP is concerned with all forms of pain and not only focused on post-surgical pain. It aim to:

- a.) make pain prevention, pain recognition and pain management an inseparable part of the design, assessment, conduct and supervision of animal procedures;
- b.) further optimise pain prevention, pain recognition and pain management;
- c.) reduce the percentage of animal procedures involving pain where pain management is not incorporated as part of the experiment.

The overarching ambition is to limit all forms of pain in animal procedures to a minimum.

3 Best-efforts obligation

All parties involved have an obligation within their specific roles to keep the distress suffered by the animal, including in terms of pain, to a minimum. This requires the best efforts of all those involved.

4 Analogy/precaution

In cases where it is unclear whether an animal has pain, the design and assessment of animal procedures must be guided by the analogy principle: animals share the same experiences as humans, unless there is demonstrable evidence available to the contrary. In cases in which the analogy principle is insufficient, the precautionary principle may also be applied. According to the precautionary principle, in the absence of any scientific consensus as to the presence or absence of pain, it will be assumed that the animal has pain.

5 Pain management: when to use/not use?

Moral and statutory reasoning: underlying principles are the intrinsic value of the animal and the obligation not to let the individual animal suffer unnecessarily, or to limit its amount of pain, suffering, fear and ongoing injury to a minimum.

Scientific reasoning: pain can lead to patho-physiological changes that influence experiments in a complex and uncontrolled way. This applies in respect of acute pain, pain immediately following an intervention and chronic pain. Pain can have a greater influence on the outcomes of an experiment than where controlled pain relief is

administered. Where pain management is to be withheld despite the presence of pain, specific arguments to support this are necessary, and must be agreed to, in both the work protocol (by the Animal Welfare Committee [IvD]) and in the project proposal (by the IvD, Animal Experiment Committee [DEC] and Central Authority for Scientific Procedures on Animals [CCD]).

6 Pain recognition

A step-by-step pain recognition process, properly prepared, is necessary: knowledge of species specific factors, standardised observation process, appropriate to the respective phases of the animal procedure and with minimal effect on the behaviour of the animal. The use of scoring lists and the assessment system are as described in this CoP.

7 Pain prevention and management: more than just the administering of analgesics

In its widest sense, pain management involves not only the use of painkillers (analgesics), but also other medication and other measures such as the use of aseptic and antiseptic processes and adapted animal housing. Optimal pain management is achieved firstly through the preventive and perioperative, multimodal administering of pain relief, according to the expected extent and duration of the pain, and secondly through knowledge and expertise in aseptic, refined surgical techniques and the recognition and management of pain.

8 Education

All persons engaged in the prevention, recognition and management of pain should have the most up-to-date knowledge in this field and the relevant skills. The licensee must ensure that staff receive a sufficient level of continuing education.

9 A humane endpoint (HEP)

A HEP will be delivered to prevent or bring an end to pain. A HEP should be delivered:

- a.) if an upper threshold for pain for a procedure is exceeded;
- b.) if the scientific endpoint is reached; or
- c.) if the scientific endpoint can no longer be achieved whilst the animal is suffering pain/distress.

If in doubt as to compliance with this code, you should contact the Animal Welfare Body (IvD).

Code of Practice ‘Prevention, recognition, and management of pain in laboratory animals’

Contents	
1. Ambition	17
2. Explanation of terms	18
3. Best-efforts obligation	19
4. Analogy/precautionary principles	23
5. Pain management: reasons to administer/not administer?	24
6. Pain recognition	25
7. Preventing and managing pain: more than just administering analgesics	26
8. Education	30
9. A humane endpoint (HEP)	30
References	31

This CoP is intended as document that sets out at any point in time to be a reflection of actual knowledge and experience in the field of prevention, recognition and management of pain.

The most recent version of the CoP should be consulted here:

<http://english.ncadierproevenbeleid.nl/> In various parts of this CoP there are references to digital appendices. These appendices can also be found at <http://english.ncadierproevenbeleid.nl/>. The doses and dosing intervals specified in this CoP are recommendations based on current knowledge. When drawing up an anaesthesia and pain relief protocol, it is therefore always important to consult with the Animal Welfare Body (IvD) and/or the designated veterinarian.

1. Ambition

Ambition and target groups

The possibility that animals used in animal procedures could suffer distress is an inherent part of such procedures. ‘Distress’ is a wider term and is not always caused by pain. It can also be caused by acute or chronic stress, fear or the dysfunction of organs. This Code of Practice (CoP) focuses only with the prevention, recognition and management of pain in laboratory animals.

The CoP ‘Prevention, recognition, and management of pain in laboratory animals’ offers practical recommendations to all persons involved in the design, assessment, conduct and supervision of animal procedures for prevention, recognition and management of pain in laboratory animals. These recommendations are in line with current laws and regulations and based on the latest opinions of experts.

The ambition of the CoP is:

- to make pain prevention, pain recognition and pain management an inseparable part of the design, assessment, conduct and supervision of animal procedures;
- to significantly improve pain prevention, pain recognition and pain management; and
- to reduce the percentage of animal procedures involving pain where pain management is withheld as part of the experiment.

The overall ambition is to limit all forms of pain in animal procedures to a minimum.

2. Explanation of terms

Pain is often defined as ‘an unpleasant sensory and emotional experience associated with actual or potential tissue damage’. (References: 1) The inability to communicate verbally and the absence of behavioural changes do not exclude the possibility that an individual can suffer pain.

Types of pain

The impact of pain on animal welfare is closely connected with the duration and intensity of the pain sensation. This impact may also be affected by factors such as stress and fear. Humans tolerate pain much better where the pain is controllable and predictable, or if the pain is ultimately rewarded (such as the birth of a child). There are indications that this also applies to animals (References: 2).

A categorisation of pain is possible according to cause, duration and intensity. ‘Cause’ would include smaller or larger invasive or non-invasive procedures, infectious diseases, growth of a tumour and auto-immune diseases.

Under the heading ‘duration,’ the following categories may be identified:

- **Short-duration pain** (from a few seconds to tens of seconds), for instance the insertion of a needle for an injection.
- **Mid-duration pain** (from minutes up to a week), for instance post-procedural pain, usually combined with greater tissue damage.

- **Chronic pain** is for a long duration (weeks, months, years) and is usually a by-product of non-pain related research into, for example, disease models for diseases related to ageing or arthritis. Chronic pain is associated with tissue degeneration and destructive illnesses (osteoarthritis, cancer) and does not improve over the long term.

The *intensity* of the pain sensation will affect the nervous system in four different locations, i.e. the peripheral pain receptor (nociceptor), the spinal cord, the subcortical cerebrum, such as the brain stem and thalamus, and lastly the cortex. By shutting down the cortex, such as through general anaesthetic, an animal may be free of any pain during an invasive procedure because it is unconscious. However, because during this invasive procedure there is nociception (processing of pain stimuli) at the three other said locations, an animal that recovers from anaesthesia will experience a more intense post-procedural pain as if this nociception had been prevented with painkillers for the purposes of the procedure. This fact underlines the importance of preventive pain relief (=blockage of the nociception before the pain is induced) and the use of multimodal pain relief (=different groups of painkillers combined to dampen the nociception at various locations) in procedures involving a high intensity of pain. In the case of other vertebrate animals such as fish and birds, the presence of nociceptors comparable with those of mammals has been demonstrated. Whether fish experience pain in the same way as humans and mammals is still the subject of debate. However, various types of fish have been shown to behave differently and/or exhibit unusual physiological reactions in response to the potential sensation of pain.

In laboratory animal research, a categorisation of seriousness of the research is usually based on distress, which is a much broader category than one based only on pain. Some examples in the grading of distress in the case of painful procedures are set out in the digital appendix to this CoP, in *which the pain is managed where necessary by use of analgesics and/or anaesthetics*. Many more examples (including examples of distress not caused by pain) are set out on pages 23, 24 and 25 of the Explanatory Memorandum to the registration of laboratory animals and animal procedures 2014 of the Netherlands Food and Consumer Product Safety Authority (NVWA [References: 3]) or Annex VIII of Directive 2010/63/EU of the European Parliament and of the Council of 22 September 2010 on the protection of animals used for scientific purposes (Text with EEA relevance) (References: 4).

The cause, duration and intensity of the pain, in combination with the pain prevention, pain recognition and pain management applied are important points to consider when estimating the degree of distress in the application for the project licence, the drafting of the work protocol and the subsequent registration of the actual distress suffered during the animal experiment.

3. Best-efforts obligation

All parties involved – the establishment licensee, the Animal Welfare Body (IvD), designated veterinarian, researcher, biotechnician, zoological analyst and laboratory animal care taker – have within their specific roles a best-efforts obligation to keep the distress suffered by the animal, including in terms of pain, to a minimum.

Statutory framework

The Experiments on Animals Act (*Wet op de dierproeven* [Wod]) has the primary purpose of protecting animals used for scientific or educational purposes. The Experiments on Animals Act therefore sets out clear rules aimed at preventing and minimising pain for laboratory animals (digital appendix of the Experiments on Animals Act, Part B). The definition of an animal procedure includes a threshold value for degree of pain: each use of an animal for one of the purposes listed in the Experiments on Animals act ‘that can cause as much as, or more, pain, suffering, fear, or long-term damage as the injection of a needle in accordance with good veterinary science practice’ is an animal procedure (References: 5). The elimination of pain through the efficient application of anaesthetics, analgesics, or other method, however, does not mean that such a procedure using an animal is no longer an animal procedure.

The Experiments on Animals Act also prescribes (appendix Wod, Part B) that the establishment licensee should have at its disposal one or more persons who:

- care for the animals and conduct the animal procedures;
- ensure that unnecessary pain, suffering, fear or long-term damage in laboratory animals is ended in a timely manner;
- ensure that a project is conducted in accordance with the project proposal;
- supervise the welfare of the laboratory animals.

It should also have at its disposal a designated veterinarian or other sufficiently qualified expert responsible for advising on the welfare and treatment of the animals.

An adequate basic education for each person involved and regular continuing education should ensure that these persons have the most up-to-date knowledge and skills.

Attention to pain during the various phases of the research:

1. Designing the work protocol

Before conducting an animal procedure, the responsible researcher/performer should design a work protocol. The work protocol should be coordinated with the Animal Welfare Body (IvD) and the designated veterinary physician. The work protocol should focus sufficient attention on minimising the pain resulting from the treatment and interventions. For types of animal procedures that are conducted in a standard way, this method should preferably be described in a Standard Operating Procedure (SOP) in order to ensure an optimal, standardised pain relief. In the case of new types of animal procedures that could be conducted in non-standard ways, the method must be described in detail in the work protocol.

The work protocol should also clearly describe:

- what processes need to be conducted and when;
- who has what responsibilities, including the use of humane endpoints;
- which clinical effects to expect and when, and the expected progress of pain;
- how and when to prevent or manage pain (methods, dosage, points in time, methods of administration, care, animal housing);
- the method by which symptoms must be checked and frequency (e.g. every six, eight, twelve or 24 hours), as well as how such

- frequency should be revised if the degree of pain increases and/or the criteria by which the humane endpoint draws near apply;
- what the criteria for applying the human endpoints are.

2 Conduct of the research

The treatment and/or procedures carried out on the laboratory animals and the welfare effects thereof are to be recorded in the welfare logbook in accordance with the CoP ‘Welfare Monitoring’ (the original version is available in the digital appendix on the NCad website. It is expected that the CoP ‘Welfare Monitoring’ will be updated in the near future). It is important that this welfare logbook provides sufficient support to adequately safeguard animal welfare. In the context of painful interventions, this means that pain scores and procedures must be clearly recorded– with the aid, for example, of pain scoring lists – in combination with the administration of pain relief, so that the effectiveness can be subsequently determined.

3 Evaluation

After completion of an animal procedure, the evaluation of the welfare logbook and the clinical scoring lists will establish for all involved parties whether the procedure was optimally conducted and whether the animal welfare and/or research can be improved in the future.

In addition, a periodic evaluation of procedural SOPs will also contribute to further improvement. In research involving new laboratory animal models and where problems occur during the procedure, it is recommended that a laboratory-animal pathologist be asked to research further, to find out more about the nature,

degree and duration of the distress and possibly also the possible causes of intercurrent problems, and to propose steps for prevention thereof.

Parties responsible for pain recognition and pain management

The establishment licensee and management of the animal facility

- provide a climate within which all persons are expert and engaged, and take responsibility for the animals’ welfare (Culture of Care);
- Facilitate staff in enabling them to carry out their roles and responsibilities to the optimum: expertise, training, planning tasks, conduct of animal procedures and analyses.

The Animal Welfare Body (IvD)

- obtains advice on anaesthesia and pain management from the designated veterinarian;
- reaches agreement with the researcher on the project proposal and the work protocols. A special focus for attention here is the prevention, recognition and management of pain, as well as the justification hereof in cases where pain management is withheld because this is not considered reconcilable with the aim of the procedure;
- supervises the conduct of the procedure, obtains information during and after the procedure about its progression and on the basis thereof discusses potential adjustments thereto with the responsible/performing researcher.

The responsible researcher by virtue of Article 9 (project licence^a)

- is responsible for ensuring that the description and conduct of the animal procedures is in accordance with the statutory requirements and best practices;
- the responsible or performing researcher reaches agreement with the Animal Welfare Body (IvD) and the designated veterinary veterinarian on the design of the types of animal procedures and the work protocols, including the choice of animal species, the application of the 3Rs and the application or withholding of anaesthesia and pain relief depending on the aim of the procedure.

The performing researcher by virtue of Article 9 (work protocol/study plan^b)

- is knowledgeable about the use of anaesthesia and pain relief in animal species and the type of animal procedure covered by the project licence;
- consults with the Animal Welfare Body (IvD) and/or the designated veterinary veterinarian regarding the methods to monitor welfare specific to animal species and type of animal procedure, the prevention and management of pain and the formulation of suitable humane endpoint criteria;
- agrees the terms of the work protocol for the conduct of the research with all parties involved, such as the laboratory animal care takers, biotechnicians, researchers and the management of the animal facility

The designated veterinary physician

- has expertise in administering anaesthesia and pain relief to the animal species and in the types of animal procedures used within his establishment;
- advises the responsible researcher, performing researcher, Animal Welfare Body (IvD), biotechnician, zoological analyst, and animal care taker regarding the administering of anaesthesia and pain relief in order to safeguard the quality thereof;
- where more in-depth expert knowledge is required, consults with other (veterinarian) specialists, such as diplomates from the European College of Laboratory Animal Medicine (ECLAM) or European College of Veterinary Anaesthesia and Analgesia (ECVAA).

The animal welfare supervisor pursuant to Article 13.f, section 3a

- has expert knowledge concerning the recognition of distress, including pain recognition, as well as knowledge in the field of pain management, use of humane endpoints and euthanasia comparable to that of the designated veterinary veterinarian or seeks advice on these matters from this veterinary physician;
- advises the responsible researcher, performing researcher, biotechnician, zoological analyst and animal care taker about recognition of distress, including pain, to enable an optimal refinement of the animal procedure.

^a As indicated in the application to the CCD for a project licence

^b As indicated in the work protocol or study plan

The laboratory animal care taker/biotechnician/zoological analyst/other persons conducting an animal procedure (persons listed in Article 13f, sections 2a+b)

- is responsible for the conduct of the intervention in line with best practices and the administration in such interventions of anaesthesia and pain management in accordance with the work protocol;
- the biotechnician, zoological analyst and laboratory animal care taker are responsible for the recognition of pain within the relevant animal species and type of animal procedure, the recording of findings such as pain scores, the provision of appropriate care, the taking of action if the analgesia is insufficiently effective (including the administering of additional pain relief), providing information to the responsible or performing researcher pursuant to Article 9 of the Experiments on Animals Act and/or designated veterinary physician and then ending the distress by reaching the humane endpoint in accordance with the work protocol.

In addition, the Central Authority for Scientific Procedures on Animals (CCD) and the Animal Experiments Committees (DECs) play a role in testing animal procedures. If the applicant believes that pain management cannot be reconciled with the purpose of the procedure, the arguments in support of this belief must be convincing. If the DEC and/or the CCD is/are not convinced by these arguments, the researchers should preferably provide additional information from, for example, a further literature study, and/or a pilot study or by adding extra groups receiving pain relief to the first experiment or first experiments. The results must be retrospectively assessed at the end of the experiment. It may be established, for example, that in

respect of future experiments – within the same project and for new projects – pain relief is reconcilable after all with this type of animal procedure and this information may be shared with all those working with laboratory animals. In addition, the DECs and the CCD have a signalling function and may decide in the case of potential problems to obtain additional advice from an expert group.

4. Analogy/precautionary principles

The question whether vertebrate and other animals are able to experience pain has been a source of debate for a long time. However, the results of research conducted by various research groups over the last two decades provides growing evidence that animals can experience pain (References: 6).

Where it is unclear whether an animal has pain, the assessment and design of animal procedures must be guided by the analogy principle: animals have the same experiences as humans unless there is demonstrable evidence available to the contrary. In cases in which the analogy principle is insufficient to determine whether, and if so, how, pain management is to be used, for ethical and scientific considerations the precautionary principle should also be applied. According to the precautionary principle, in the absence of any scientific consensus as to the presence or absence of pain, an assumption will be made that the animal experiences pain. It should be emphasised here that the precautionary principle also applies to other vertebrate animals such as fish and birds. The same principles also apply to animals in the wild.

5. Pain management: reasons to administer/not administer?

Optimal pain prevention, recognition and management in respect of laboratory animals is important for various reasons.

Firstly, moral considerations play a role. Every animal procedure involves an intrinsic conflict between the interests of human beings (or other animals) and those of the animals used in the procedure. The underlying principles are the intrinsic value of the animal and the duty to subject the animal to as little pain, suffering, fear and long-term injury as possible. The procedure must be sufficiently important to justify the distress – including pain – of the animal. There is a best-efforts obligation to keep the ‘cost’ to the animal, in terms of pain and otherwise, to the minimum possible.

For scientific reasons also, it is important to have a carefully considered policy on pain prevention, pain recognition and pain management. Pain – acute pain, pain immediately following an intervention and chronic pain – can all influence experiments in a complex and uncontrolled way.^c

What influence does pain have on the research results?

Pain can influence various physiological processes and can be the underlying cause of pathophysiological changes. Pain affects the endocrine and neuroendocrine system (various hormones, endorphins), the sympathetic nervous system (including vascularisation,

intestinal motility, kidney function), the immune system (including increased risk of infection, slowdown in wound recovery), blood composition (changes in blood count), respiration (abnormal breathing patterns), the cardiovascular system (increased heart rate and blood pressure) and muscles (weakness, cramp). Furthermore, behavioural changes due to pain can influence the physiology of the animal as a result, for example, of a disrupted sleeping pattern, loss of appetite, loss of mobility, aggression and self-harm (automutilation).

All of this can result in an animal procedure being influenced in an uncontrolled and perhaps more significant way than if controlled pain relief had been administered.

What influence does pain relief have on the research results?

Pain relief can itself affect the research results.

The literature reports that the administration of opiates – depending on the dosage – can have side effects such as depression, reduced heart rate, reduced intestinal motility and nausea. These side effects are identified particularly for morphine and fentanyl, but much less for buprenorphine.

The literature reports that the administration of Non-Steroidal Anti-Inflammatory Drugs (NSAIDs) – depending on the dosage – can have side effects such as gastrointestinal haemorrhages, kidney damage (which increases with dehydration) and an inhibition of the immune

^c Research into the phenomenon of pain has a special place as a research subject. When this involves the testing of various analgesics, a necessary precondition is that in all circumstances it is possible to revert to the conventional therapy and that validated pain recognition methods and humane endpoints are set out in the research protocol.

system. These side effects are described especially in older, non-selectively acting medication, but much less for carprofen and meloxicam. It is clear that the degree to which the research results are influenced depends heavily on the chosen medication, the dose administered and the period for which it is administered. This means that even in complex animal models such as the healing of bones and wounds, arthritis and immunological research, with the right choices providing full or partial pain relief can be realized whilst the desired research result can be obtained. A detailed description of the possible effects of analgesics on research results can be found at GV-Solas 2015 (References:7).

The withholding of pain relief/pain management may be appropriate in circumstances such as:

- Research into the phenomenon of pain, including the assessment of the efficacy of new pain relief;
- Research in which short-term pain is administered (e.g. in the form of an electric shock) to condition the animals;
- Where the administration of pain relief would cause greater harm to the welfare of the animal than the pain itself;
- Where the pharmacological properties of the pain relief would have a greater effect on the relevant readout parameters than the pain itself. In this case, the influence per research application must be documented and where necessary supported by data from additional studies.

Note: the withholding of pain relief does not affect the obligation for the maximum use at all times of non-medicinal pain management.

Where pain management is withheld despite the presence of pain, this needs to be specifically argued for, and agreed in, both the work protocol (by the Animal Welfare Body [IvD]) and the project proposal (by the IvD, DEC and CCD).

6. Pain recognition

Pain can mostly be recognised through clinical symptoms, posture and behaviour. These are generally speaking a specific characteristics, but in the context of the animal procedure or pathology they may be indications that the animal has pain. Clinical symptoms could be: an increased heart rate, faster breathing and dilated pupils.

During behavioural observations one can observe an abnormal posture (e.g. bent back, expanded stomach, begging posture) or abnormal movements (decrease or increase in movement; restlessness; rolling over; lethargy). In addition, different form of response to humans or other animals (more aggressive or more apathetic); the people best able to identify this are those who work with the animals on a daily basis.

It is important that clinical evaluations and assessments are conducted by people with a good knowledge of the normal and abnormal behaviour of the relevant animal type. The digital appendices to this CoP contain examples of pain score lists (such as grimace scales) for mice, rats and rabbits. These scales offer help in recognising pain in these animal species.

Different animal species can respond differently to pain, but even within one type of animal, different strains or even individuals can respond differently to pain. Symptoms of pain specific to animal species will be discussed in the digital appendix on the NCad website.

Pain recognition: step-by-step plan

A process to recognise pain in laboratory animals undergoing a specific animal experiment could involve the following steps:

1. Describe the expected course of the pain throughout the experiment and based on this determine the frequency of observation and the symptoms to look out for;
2. Ensure that all parties involved are familiar with this protocol;
3. The assessment should be conducted as much as possible by the same person. If this is not practically feasible, then the transfer of this task must be carefully considered. Inexperienced persons should receive training before performing this task;
4. Use a pain score list (examples of this can be found in the digital appendix on the NCad website);
5. First observe the animals and their environment without disturbing them. Observation of animals that are prey may be assisted by use of a camera, given that the behaviour of such an animal may change in the presence of the observer;
6. Assess how the animals respond to each other and to the observer. This can best be done by the person who regularly cares for the animals;
7. Inspect the animal for response to gentle palpation or to the touching of possibly painful areas, where this is practically possible;
8. Weigh the animal, record its food and liquid intake where possible and note any normal or abnormal urination (frequency) and defecation in the cage or other housing;
9. Administer pain relief where necessary and repeat the above steps 30-60 minutes following treatment to determine whether the drug and the dose are effective. Even where there is uncertainty as to the existence of pain, an assessment of the response to pain relief may be useful;
10. During the experiment, adjust the frequency of observation and the method of pain management where the findings so dictate;
11. Make a retrospective evaluation and discuss this with the relevant parties and the Animal Welfare body (IvD);
12. Review the protocols regularly and update them where the findings so dictate;
13. Ensure there is regular continuing education and/or case reviews to maintain and build on the knowledge and skills in this field.

7. Preventing and managing pain: more than just administering analgesics

Pain management indicator

The pain management indicator available in the digital appendix to the CoP is an aid to standardising the use of pain prevention and pain management in the case of procedures. The pain management indicator can generally be applied to all animal species. For specific questions, such as the issues of pain and pain management in types of animals other than rodents, the Animal Welfare Body (IvD) can offer good advice.

The underlying principle is to prevent and manage pain through firstly the preventive and multimodal (see below for explanation) application of analgesics, according to the expected level and duration of the pain, and secondly through the optimal technical and general performance of the procedures, to prevent unnecessary trauma, the administration of aseptics and antiseptics and the provision of appropriate care and animal housing.

The use of both non-pharmaceutical measures and painkillers can contribute to the prevention and management of pain in laboratory animals.

Non-pharmaceutical measures

- Adjustments to housing, such as deeper/softer bedding, more/different nest-building materials, warmer/cooler environment, dimmed lighting, easily accessible food and liquids, liquidised foods, drinking vessels with extended nozzle;
- Modifications to care, such as intensive monitoring (to enable quicker intervention) and administration of liquids;
- Optimal conduct of experimental processes, such as minimally invasive and sterile operations, reduction in the length of interventions, the refinement of the method of administration of medication (through food or drinking water instead of injections), the least invasive technique for taking samples, the use of concentrated substances (small volume vs dilution). Consult the Animal Welfare Body (IvD) for options for the refining of experimental conditions.

Painkillers

Preventive application is the administration of analgesics before the sensation of pain occurs. Effective pain relief before and during a painful intervention limits the extent of the pain following the intervention. By administering painkillers with different, complementary working mechanisms (i.e. 'multimodal'), the pain relief is more effective (Figure 1). In general, the dosage of the painkillers remains the same where there is multimodal administration. The complexity of an anaesthesia and analgesia protocol (one or more groups of painkillers, method of administration, dosage and duration of treatment) must be decided on the basis of the expected nature, level and duration of the pain. Some examples of this principle are included in the digital appendix on the NCad website.

The preventive and perioperative administration of pain relief (Figure 2) can be applied especially in the case of operative procedures and infection models because here the occurrence of pain is predictable. It is necessary to take account of the time needed to achieve an effective level of pain relief: for example, in the case of buprenorphine, there is a slow onset of action from 30 to 60 minutes.

Therapeutic administration of painkillers is also possible in animal models for which, during the procedure, less predictable acute or chronic pain occurs as a result of evolving inflammatory processes (for example, osteoarthritis or peritonitis), ageing, or tumours. The early and adequate recognition of pain is the key to the optimal therapeutic administration of pain relief.

Categories of painkillers (see Figure 1)

Local anaesthetics temporarily block the nervous system, so that pain sensations do not reach the central nervous system. In the case of rodents, especially small rodents, and high regular dosage, cardiac arrest is possible. The duration of the effect is usually short (one to two hours in the case of lidocaine), but could be significantly longer (six to eight hours in the case of bupivacaine). Administration is usually via local infiltration or by targeted nerve blockage. This category is often used multimodally with NSAIDs (nonsteroidal anti-inflammatory drugs) and sometimes with drugs that affect the central nervous system such as opiates and pain-killing injections of anaesthetics.

Opiates are powerful painkillers that work on the central nervous system but, in the case of repeated administration, could produce side effects such as respiratory depression, constipation and abnormal behaviour such as pica (eating disorder, appetite for non-nutritive substances). Buprenorphine is used a lot (with the dosage in mice amounting to 0.05-0.1mg/kg and in rats to 0.01-0.05 mg/kg) due to its slower onset of action and the limited effect of respiratory depression. The interval between administering doses of is six to twelve hours.

Sustained-release formulations are ideal for administering pain relief over longer periods of time without the need for repeated injections. A sustained-release veterinary formulation of buprenorphine is not available at the present time on the Dutch market, although it is available in the United States. The efficacy of the sustained release human specific formulation in laboratory animals has not been validated. This category is often used multimodally with NSAIDs and sometimes with local anaesthetics.




Figure 1 The different working mechanisms of painkiller categories in the pain-processing routes

NSAIDs are painkillers with a fever-reducing, painkilling and inflammation-reducing effect but which, depending on the chosen drug, dose and duration of treatment, could lead to stomach and intestinal bleeding and kidney failure. NSAIDs that are often used and safe are carprofen (dosage 4-5 mg/kg) and meloxicam (dosage in mice 1 mg/kg and in rats 0.2-1 mg/kg). The interval between doses is twelve to twenty four hours. NSAIDs can often be administered both parenterally and orally. For multimodal use: see other three categories.




Figure 2 Points to consider in the perioperatively-effective administration of painkiller categories (adapted on the basis of Figure 5.1 of the Pain Management in Animals, References 8.)

Dissociatives (such as ketamine or tiletamine) and **alpha-2 adrenergic agonists** (such as xylazine, medetomidine or dexmedetomidine) are both pain-relieving groups of anaesthetics and are mostly used in combination as injection anaesthesia. Often, this anaesthesia injection is used multimodally in combination with NSAIDs and sometimes with local anaesthetics.

The dosages and dosage intervals indicated above are recommendations based on current knowledge (References: 8-11) and are often based on experiences in strictly-defined models with specific strains of animals, but sometimes using one sex, and of a certain age or weight, etc. It therefore remains important that the advice of an expert, such as a designated veterinarian, is sought in designing an anaesthesia and pain-relief protocol.

The Animal Welfare Body (IvD) can give advice in the designing of a pain management protocol. It is also possible that the recommendations can be updated on the basis of new information. It is therefore necessary to always consult the latest version of this document (available on the NCad website) before submitting a new project proposal. The digital appendix to this Code contains additional advice on pain management.

8. Education

An adequate basic education and regular continuing education in the field of prevention of pain, recognition of pain and the management of pain should ensure that personnel possess the most up-to-date knowledge and are adequately skilled. The licensee should facilitate the provision of adequate continuing education for personnel. At the

time of publication of this CoP there are no specific teaching materials or e-learning modules available.

9. A humane endpoint (HEP)

Although pain cannot be avoided, or kept to a minimum, in all animal procedures, as a general principle unnecessary pain cannot be justified. To prevent or end unnecessary pain it is necessary to determine humane endpoints. A humane endpoint can be defined as *'the earliest indicator in an animal experiment of (potential) pain and/or distress that, within the context of and scientific endpoints to be met, can be used to avoid or limit pain and/or distress by taking actions such as humane killing or terminating or alleviating the pain and distress'* (References: 12).

A humane endpoint should be administered if:

- an upper threshold for pain for a procedure is exceeded; or
- the scientific endpoint is reached; or
- the scientific endpoint cannot/can no longer be achieved whilst the animal is suffering pain/distress.

Reaching a human endpoint a humane endpoint does not therefore mean by definition that the relevant animal will be killed. It could also mean that the animal will be removed from the experiment, that the cause of the pain/distress will be removed or that the pain will be reduced.

If in doubt as to compliance with this code, you should contact the Animal Welfare Body (IvD).

References

1. International Association for the Study of Pain (1979). Pain 6: 250.
2. National Research Council (2009). Recognition and alleviation of pain in laboratory animals – humane endpoints for animals in pain, National Academic Press p. 119–137.
<http://www.nap.edu/catalog/12526/recognition-and-alleviation-of-pain-in-laboratory-animals>
3. Food and Consumer Product Safety Authority (NVWA) (2014). Toelichting bij de registratie proefdieren en dierproeven 2014 ('Information regarding the registration of animals for experimentation and experimentation on animals, 2014').
4. European Commission (2010). Directive 2010/63/EU.
<http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ%3AL%3A2010%3A276%3A0033%3A0079%3ANL%3APDF>
5. Experiments on Animals Act (Wet op de dierproeven, [Wod]), Article 1 (1) (a).
6. Defining and assessing animal pain. (2014). Sneddon, L.U. et al. *Animal Behaviour* 97: 201-212.
7. Committee on Anaesthesia of GV-SOLAS. (2015). Pain management for laboratory animals.
8. Pain management in animals. (2000) Eds. Flecknell, P. and Waterman-Pearson A. (ISBN: 978-0-7020-1767-4, W.B. Saunders), pp 1-184.
9. Animal Pain, a practice-oriented approach to an effective pain control in animals. (2000). Ed. Hellebrekers L. (ISBN-13: 978-9058050304, Van Der Wees Uitgeverij; 1st edition), pp 1-184.
10. Anesthesia and analgesia in laboratory animals (1997). Eds Kohn D.F., Wixson S.K., White W.J. and Benson G. (ISBN: 978-0123738981), pp 1-426.
11. Laboratory animal anaesthesia. (2016). Ed. Flecknell P. (ISBN: 978-0128000366, Fourth Edition, Elsevier Ltd), pp 1-321.
12. Humane Endpoints in Animal Experiments for Biomedical Research — Proceedings of the International Conference, 22-25 November 1998, Zeist, The Netherlands, The Royal Society of Medicine Press Limited, United Kingdom, 1999. Hendriksen C.F.M. and Morton D.B. (editors),

Appendix 2: List of further information available on the website (appendices)

The following documents and references are available on the website www.ncaanimalproceduresbeleid.nl. These digital appendices will be regularly updated (on the basis, for example, of new understandings).

Laws and regulations

- Experiments on Animals Act (*Wet op de dierproeven*, [Wod])
Dierproevenbesluit 2014 (Dutch animal procedures decree)
- *Dierproevenregeling 2014* (Dutch animal procedures regulations)

Codes of Practice

- CoP Welzijnsbewaking (NL)
- CoP 'Welfare Monitoring' (EN)

Pain recognition

- Examples of levels of distress
- Examples of pain scoring lists
- Symptoms of pain specific to animal types

Pain management/Pain management indicator

- Examples of anaesthesia and analgesia protocols.

Continuing education

- Report: 'Research to advance knowledge of pain recognition and management in laboratory animals'
- E-learning module: 'Recognition and prevention of pain, suffering and distress in laboratory animals'


Humane endpoints

- OECD report: 'Guidance Document on the Recognition, Assessment, and Use of Clinical Signs as Humane endpoints for Experimental Animals Used in Safety Evaluation'.

Experts who were consulted

- Members of the working group for designing the CoP 'Prevention, recognition, and management of pain in laboratory animals'
- Other experts consulted for the design of the CoP 'Prevention, recognition, and management of pain in laboratory animals'


Relevant literature



We would like to thank the following experts

The drawing up of this opinion was compiled with the assistance of a working group comprising the following members:
Paul Dortant (Netherlands Food and Consumer Product Safety Authority [NVWA]), Wim de Leeuw - Chair (Utrecht University), Dick Tibboel (Erasmus Medical Center), Mathieu Sommers (Erasmus Medical Center), Rob Steenmans (Wageningen University), Klaas Walter Meyer (Vrije Universiteit Amsterdam), Roel Sneepers (NKI)

Support was provided by Filip Mulkens (Central Authority for Scientific Procedures on Animals [CCD] secretariat) and Esther Veenstra.



This is a publication of:
Nationaal Comité advies dierproevenbeleid (NCad)
Postbus 20401
2500 EK The Hague
The Netherlands
NCad@minez.nl
<http://english.ncadierproevenbeleid.nl/>

Publication date: April 2016
Publication number: 201604EN

The Netherlands National Committee for the protection of animals used for scientific purposes (NCad) was appointed for the protection of animals used for scientific purposes and for education. NCad achieves visible improvements that are specifically related to the Replacement, Reduction and Refinement (3Rs) of animal procedures and to the associated ethical review in scientific research (including applied scientific research) and teaching. Its goal, in doing so, is to minimize laboratory animal use at both national and international level.